Safety Data Sheet

FIBERWEB 300

(R)

Section 1: Manufacturer Identification/Use

Manufacturer's Name: Clark Hammerbeam Corporation

Address: 886 Washington Street, PO Box 381, Dedham, MA 02027

Telephone Numbers: Information/Emergency: 781-461-1946

Effective Date: January 2, 2015 Chemical Family: Plastic Films

Material Use: Waterproofing Membrane

Product Name as used on Label: FIBERWEB 300

Section 2: Hazards Identification

HMIS Rating (1-4)
Health 1 Can cause skin irritation
Flammability 1 Will burn if directly ignited

Reactivity 0

SECTION 3: Hazardous Identification

Components: Non -Hazardous

CAS# N/A Concentration% N/A

Section 4: First Aid Measures

Primary Routes of Entry

Inhalation N/A Skin Yes Ingestion Yes

Effects of Overexposure (Acute and short term)

Skin: Avoid contact with skin. Excessive contact may cause skin irritation

Ingestion: Do not ingest- not meant to be eaten

Emergency and First Aid Measures:

Eyes: Remove particle by irrigating with eye wash solution or cool water If irritation persists, seek

medical attention

Ingestion: Seek medical attention

Skin: Wash skin with soap and water. If irritation occurs and persists seek medical attention.

Carcinogenicity

NTP No

IARC Monographs No **BTP** No

FIBERWEB

Irritant Yes Sensitizer Yes

Section 5: Fire Fighting Measures

Flash Point > 500 degrees F **Extinguishing Media** CO2, dry chemical

Special Firefighting ProceduresDo not enter closed or confined space without proper

protection including self-contained breathing apparatus

Fire and Explosion Hazards None

Hazardous Combustion Products
Flammable Limits in Air by Volume

Carbon Monoxide, Carbon dioxide, other hydrocarbons

(**Upper**) Unknown (**Lower**) Unknown

Flammability Will support combustion

Under What ConditionsDirect flameStabilityStableIncompatibilityNot applicableHazardous PolymerizationWill not occur

HazardousDecomposition/Combustion Carbon monoxide. Carbon dioxide. other hydrocarbons

Section 6: Accidental Release Measures

Containment Procedures: Pick up small pieces and dispose as cited below

Waste Disposal Method: Disposal should be in conformance with all applicable Local, State and Federal codes, regulations and laws.

Section 7: Handling and Storage

Precautions to Be Taken in Handling and Storage

Do not ingest. Avoid prolonged or repeated contact with skin. Wash hands thoroughly after handling. Material should be protected from prolonged exposure to elements. Do not store near flame.

Other Precautions

KEEP OUT OF REACH OF CHILDREN

Section 8: Exposure Control

Respiratory ProtectionVentilation
Not required
Normal

Protective Gloves Cotton if needed

Section 9: Physical/Chemical Properties

Boiling Point: >650 degrees F

Vapor Density(air=1) nil **Odor:** n/a

FIBERWEB

Melting Point 190 degrees F Vapor Pressure (mmHg.) 190 degrees C

VOC None

Flash Point > 500 degrees F
Solubility in Water insoluble
Appearance plastic sheeting
Eye Protection Safety Glasses
Other Protective Clothing/Equipment Not required

Work/Hygienic Practices Wash hands thoroughly after handling prior to eating/drinking

Section 10 : Stability And Reactivity

Product is stable. Hazardous polymerization will not occur.

Hazardous Decomposition Products: carbon monoxide, carbon dioxide, other hydrocarbons

Section 11: Toxicological

The hazards have been evaluated on the basis of individual ingredients on a threshold of 1.0% for hazardous ingredients and 0.1% for all carcinogens.

Chronic effects: Prolonged skin exposure may cause skin sensitization with possible redness/irritation. Exposure to mists, fumes or dust is not expected to occur due to product form.

Acute Effects: Skin contact may result in irritation and allergic reaction

Section 12: Ecological

No information available at this time

Section 13: Disposal Considerations

Product is not regulated by U.S. EPA under the Resource Conservation and Recovery Act regulations. Waste is to be disposed of in accordance with local, state and federal regulations.

Section 14: Transport Information

Reportable Quantity N/A **RCRA Hazardous Waste** N/A

Proper Shipping Name Waterproofing Membrane

DOT Hazard Class Identification NumberNot required
Not required

Volatile Organic Content N/A

Label Requirements Not required

NFPA Rating (1-4) Health -1; Flammability -1; Reactivity -0

US Department of Transportation shipping classification: Not classified as a hazardous material

FIBERWEB

Section 15: Regulatory

U.S. Federal Regulations: This product has not been classified as a carcinogen by the Occupational Safety and Health Administration, the National Toxicology Program or the International Agency for Research on Cancer.

Components in this product are not on the TSCA inventory. SARA/Title III, CAS# and Concentration % contain no substances at or above the reporting threshold under Section 313 **State Regulation:** None

Section 16: Other Information

The information contained herein is based on the best data available at the time of publication and is believed to be correct. However, Clark Hammerbeam Corporation makes no warranty, express or implied regarding the accuracy of this data or the results obtained from the use thereof. Clark Hammerbeam Corporation assumes no responsibility for damage or injury that may arise from the use of the material described herein.